

ADDENDUM #1
TO PLANS AND SPECIFICATIONS FOR

HHCDA Office Building – Parking (HTA25-4)

Ho-Chunk Nation
SRF Project 19595

February 24, 2026

ENGINEERS: SRF Consulting Group, Inc.
3701 Wayzata Boulevard, Suite 100
Minneapolis, MN 55416-3791
Tel. (763) 475-0010
Fax (763) 475-2429

To Plan Holders:

The additions, omissions, corrections, and clarifications contained in this Addendum shall be included as a part of the Contract Documents.

This Addendum is a Contract Document and may apply to any or all contracts and subcontracts. Unless otherwise specified herein, all work required by this Addendum shall be in complete accord with the Contract Documents and subsequent Addendum thereto.

This Addendum shall become part of the bid. The bidder shall insert the Addendum number in the space where indicated on the Proposal Form. Failure to comply may result in the bid being rejected.

CHANGES TO THE SPECIFICATIONS

- 1) Remove last two sentences in the Specifications Division 32, Section 32 12 16 Asphalt Paving, Part 2.04, Letter A, Number 4 “ The maximum amount of RAP in the wear course shall be 10%. The maximum amount of RAP in the base course shall be 20%.”

Acknowledge receipt of this addendum. Any bids received that do not bear the proper acknowledgement of receipt will not be considered.