



**ADDENDUM #1  
ADAMS COUNTY  
CASTLE ROCK PARK MAINTENANCE BUILDING  
PROJECT 05056005  
OCTOBER 28, 2025**

Page 1 of 1

**NOTICE**

This Addendum is issued to modify, explain or correct the original drawings, specifications and/or previous addendums and is hereby made a part of the Contract Documents. Please attach this Addendum to the specifications in your possession and note receipt of this Addendum on page 00 41 00-1. The bid date remains unchanged.

**PROJECT MANUAL**

DIVISION 13 – SPECIAL CONSTRUCTION

Section 13 34 20 – Pre-Engineered Wood Post-Frame Building

Part 1 General

1.01 Section Includes

**ADD** Item N. as follows:

“N. Ceiling Framing.”

1.04 System Description

**REPLACE** Item C. as follows:

“C. Secondary framing – purlins, girts, ceiling framing, bracing and other items as required.”

Part 2 Products

2.02 MATERIALS – FRAMING

**REPLACE** Item L. as follows:

“L. Incidental framing (includes ceiling framing): Provide No.2 or better 2”x4”, 2”x6” or 2”x8” spruce pine fir.”

DIVISION 23 - HEATING, VENTILATING, AND AIR-CONDITIONING (HVAC)

Section 23 05 00 – Basic HVAC Requirements, Part 1 General, 1.02

**REMOVE** Paragraph F. and re-letter the 3 subsequent paragraphs as F, G, and H.

*Note: This omits the item that was incorrectly stating that the Mechanical Contractor shall act as the General Contractor.*

END OF ADDENDUM