

**WELLINGTON GREENS PARK  
SOCCER FIELD**

**PROJECT LOCATION:  
2372 KRAUSE ROAD/N5367 RYLLA STREET  
ONALASKA, WISCONSIN**



PROJECT VICINITY MAP



PROJECT LOCATION MAP

INDEX OF DRAWINGS

C000	COVER
C001	EXISTING CONDITIONS MAP
C050	DEMOLITION PLAN
C100	SITE PLAN
C200	GRADING PLAN
C300	EROSION CONTROL PLAN
C400	UTILITY PLAN
C500	DETAILS

REVISIONS	DATE


**PARAGON ASSOCIATES**  
 Environmental Design & Consulting  
 CIVIL ENGINEERING · LANDSCAPE ARCHITECTURE · SURVEYING  
 632 COPELAND AVENUE · LA CROSSE, WI 54603  
 Tel: 608.781.3110 Fax: 608.781.3197 Paragon-Assoc.biz

PREPARED FOR:  
CITY OF ONALASKA

**WELLINGTON GREENS PARK SOCCER FIELD**  
 2372 KRAUSE ROAD/N5367 RYLLA STREET  
 ONALASKA, WISCONSIN  
 EXISTING CONDITIONS MAP

DRAWN
C.G.
PROJECT No
23-016
DATE
02/10/2026
SCALE
NOT TO SCALE
CAD FILE
23-016 Wellington Greens 04
SHEET

**COVER**



**C001 LEGEND**

**SURVEY FEATURES**

- FOUND 3/4" O.D. IRON BAR, UNLESS NOTED
- FOUND 2" O.D. IRON PIPE, UNLESS NOTED
- SET 3/4" O.D. x 18" IRON BAR (1.5 LBS/LIN FT)
- SET MAG / PK NAIL

**EXISTING TOPOGRAPHY**

- 710
- 709
- 709.77 SPOT ELEVATION
- 709.561 SPOT ELEVATION TOP / BOTTOM CURB
- 709.068

**EXISTING PAVEMENT**

- ASPHALT
- CONCRETE
- WOOD MULCH PLAY SURFACE

**EXISTING UTILITIES**

- FLOW DIRECTION
- SANITARY SEWER
- STORM SEWER
- WATERMAIN / SERVICE
- UNDERGROUND ELECTRIC (3 PHASE)
- GAS

**EXISTING MISC FEATURES**

- SANITARY MANHOLE
- HYDRANT
- WATER VALVE
- STORM MANHOLE
- CURB INLET
- NDS STYLE DRAIN
- UNKNOWN PEDESTAL
- SINGLE POST SIGN
- SIGN
- CONIFEROUS TREE, SIZE NOTED
- DECIDUOUS TREE, SIZE NOTED

**LEGAL DESCRIPTION - PARCEL A**

LOCATED IN PARTS OF THE NW 1/4 OF THE SE 1/4, NE 1/4 OF THE SE 1/4, SE 1/4 OF THE SE 1/4, SW 1/4 OF THE SE 1/4 OF SECTION 28, T17N, R7W, CITY OF ONALASKA, LA CROSSE COUNTY, WISCONSIN.

THE LOT DEDICATED TO THE PUBLIC FOR PARK PURPOSES OF BLOCK 2 OF JOHN BOSSHARD'S ADDITION TO THE TOWN OF ONALASKA (NOW CITY OF ONALASKA) AND OUTLOT 1 OF BLOCK FOUR OF WELLINGTON GREENS.

SAID PARCEL CONTAINS 169,231 SQUARE FEET, OR 3.88 ACRES, AND IS SUBJECT TO ALL COVENANTS, RESTRICTIONS AND EASEMENTS, IMPLIED OR RECORDED.

**SURVEYOR'S CERTIFICATE**

I, JACOB K. STEPHENSON, PROFESSIONAL LAND SURVEYOR # 3076, HEREBY CERTIFY THAT I HAVE SURVEYED AND MAPPED THE DESCRIBED PARCEL IN THE DIRECTION OF THE CITY OF ONALASKA, AND THE ATTACHED SURVEY MAP IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER A-E 7 OF THE WISCONSIN ADMINISTRATIVE CODE.

JACOB K. STEPHENSON PLS# 3076 DATE  
PARAGON ASSOCIATES

- C001 GENERAL NOTES**
- THE LOCATION OF EXISTING UTILITIES, BOTH UNDERGROUND AND OVERHEAD ARE APPROXIMATE ONLY AND HAVE NOT BEEN INDEPENDENTLY VERIFIED BY THE OWNER OR ITS REPRESENTATIVES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING THE EXACT LOCATION OF ALL EXISTING UTILITIES, WHETHER SHOWN ON THESE PLANS OR NOT, BEFORE COMMENCING WORK, AND SHALL BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE CAUSED BY THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UTILITIES. DIAL 811 OR (800) 242-8511
  - THE UNDERGROUND LOCATIONS OF THE PUBLIC UTILITIES WERE MARKED BY REPRESENTATIVES OF THOSE COMPANIES. THE LOCATIONS OF THE PRIVATELY OWNED UNDERGROUND UTILITIES WERE NOT MARKED.
  - THERE MAY BE MORE UNDERGROUND UTILITY INSTALLATIONS WITHIN THE PROJECT AREA THAT ARE NOT SHOWN.
  - ANY AND ALL PARTIES UTILIZING VERTICAL DATUM SHALL ALWAYS CHECK INTO AT LEAST TWO (2) BENCHMARKS TO AVOID MISTAKES DUE TO HYDRANT ADJUSTMENTS OR TRANSPOSITIONAL ERRORS. FAILURE TO DO SO WILL BE CONSIDERED TANTAMOUNT TO GROSS NEGLIGENCE AND SUBJECT TO THE OFFENDING PARTY TO ANY DAMAGES RESULTING THEREFROM.
  - THIS DOCUMENT HAS BEEN PREPARED FOR A SPECIFIC APPLICATION AND SOLELY FOR THE USE OF CITY OF ONALASKA AND NOT FOR GENERAL USE. IT MAY NOT BE USED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PARAGON ASSOCIATES, INC. UNAPPROVED USE IS THE SOLE RESPONSIBILITY OF THE UNAUTHORIZED USER.
  - THE SURVEYOR HAS MADE NO INVESTIGATION OR INDEPENDENT SEARCH FOR EASEMENTS OF RECORD OR ENCUMBRANCES, RESTRICTIVE COVENANTS, OWNERSHIP TITLE EVIDENCE OR ANY OTHER FACTS THAT AN ACCURATE AND CURRENT TITLE SEARCH MAY DISCLOSE. EASEMENTS THAT ARE SHOWN ARE BASED ON DOCUMENTS FROM OUR FILES, AND MAY OR MAY NOT HAVE BEEN VACATED. OTHER EASEMENTS MAY EXIST ON THE PROPERTY SURVEYED.
  - THIS DOCUMENT IS BEING FURNISHED TO CITY OF ONALASKA IN THE FORM OF AN AUTOCAD DRAWING. THE PURPOSE OF THE AUTOCAD DRAWING IS FOR USE WITHIN THE AUTOCAD SOFTWARE PROGRAM WITH THE UNDERSTANDING THAT THE CAPABILITY OF AUTOCAD TO DIMENSION AN ELEMENT OF A DRAWING EXCEEDS THE DEGREE OF PRECISION TO WHICH THAT ELEMENT MAY HAVE BEEN LOCATED. FIELD VERIFICATION MAY BE NECESSARY BEFORE DESIGN IS FINALIZED.

**CURVE TABLE**

CURVE	RADIUS	LENGTH	CHORD	DELTA	TAN IN	TAN OUT
C1	130.00	96.57	N21°29'31"W 93.44'	42°07'24"	N0°25'49"W	N42°33'13"W
C2	333.00	155.50	S87°08'15"E 154.14'	26°46'48"	S73°49'21"E	N78°28'51"E
C3	67.00	18.41'	S81°19'55"E 18.35'	15°44'44"	S16°12'20"E	S0°27'38"E

REVISIONS	DATE

**PARAGON ASSOCIATES**  
Environmental Design & Consulting  
CIVIL ENGINEERING · LANDSCAPE ARCHITECTURE · SURVEYING  
632 COPELAND AVENUE · LA CROSSE, WI 54603  
Tel: 608.781.3110 Fax: 608.781.3197 Paragon-Assoc.biz


PREPARED FOR:  
CITY OF ONALASKA

WELLINGTON GREENS PARK SOCCER FIELD  
2372 KRAUSE ROAD/N5367 RYLLA STREET  
ONALASKA, WISCONSIN  
EXISTING CONDITIONS MAP

DRAWN	C.G.
PROJECT No	23-016
DATE	02/10/2026
SCALE	1"=20'
CAD FILE	23-016 Wellington Greens 04
SHEET	

**C001**





**BID ALTERNATE**

- SAWCUT AND REMOVE ASPHALT TRAIL ADJACENT TO BASKETBALL COURT
- REMOVE ASPHALT BASKETBALL COURT.

BID ALTERNATE EXTENTS



**DEMOLITION NOTES**

- The location of existing utilities, both underground and overhead are approximate only and have not been independently verified by the owner or its representatives. The contractor shall be responsible for determining the exact location of all existing utilities, whether shown on these plans or not, before commencing work, and shall be fully responsible for any and all damages which might be caused by the contractor's failure to exactly locate and preserve any and all utilities. CALL DIGGERS HOTLINE (800) 242-8511
- The underground locations of the Public Utilities were marked by representatives of those companies. The locations of the privately owned underground utilities were not marked.
- There may be more underground utility installations within the project area that are not shown.
- It shall be the contractors responsibility to arrange for any necessary inspections by local government that may be required.
- Any and all parties utilizing vertical datum shall always check into at least two (2) benchmarks to avoid mistakes due to hydrant adjustments or transpositional errors. Failure to do so will be considered tantamount to gross negligence and subject the offending party to any damages resulting therefrom.
- There may be discrepancies between the building exterior as located on the survey and what was provided by the architect. Verify dimensions prior to construction.
- Coordinate removals, abandonment and disconnection of existing utilities with respective building trades to ensure smooth transition from existing to proposed connections.
- Demolitions will need to be timed to correspond with the extended staging of the project which impacts different areas at various times. See staging plan sheets for additional information. Do not demolish site components until scheduled.

**DEMOLITION NOTES**

- 1 REMOVE EXISTING PAVEMENT. SAWCUT WHERE NECESSARY.
- 2 PROTECT EXISTING IMPROVEMENT IN PLACE
- 3 PROTECT EXISTING UTILITY.
- 4 REMOVE EXISTING TREE
- 5 PROTECT EXISTING TREE

REVISIONS	DATE


**PARAGON ASSOCIATES**  
 Environmental Design & Consulting  
 CIVIL ENGINEERING · LANDSCAPE ARCHITECTURE · SURVEYING  
 632 COPELAND AVENUE · LA CROSSE, WI 54603  
 Tel: 608.781.3110 Fax: 608.781.3197 Paragon-Assoc.biz


PREPARED FOR:  
**CITY OF ONALASKA**

**WELLINGTON GREENS PARK**  
 2372 KRAUSE ROAD/N5367 RYLLA STREET  
 ONALASKA, WISCONSIN  
 DEMOLITION PLAN

DRAWN	C.G.
PROJECT No	23-016
DATE	02/10/2026
SCALE	1"=20'
CAD FILE	23-016 Wellington Greens 04
SHEET	

**C050**





**BID ALTERNATE**

- INSTALL CONCRETE TRAIL ADJACENT TO BASKETBALL COURT
- INSTALL CONCRETE BASKETBALL COURT (HOOPS AND SUPPORTS BY OWNER)



**SITE NOTES**

- The location of existing utilities, both underground and overhead are approximate only and have not been independently verified by the owner or its representatives. The contractor shall be responsible for determining the exact location of all existing utilities, whether shown on these plans or not, before commencing work, and shall be fully responsible for any and all damages which might be caused by the contractor's failure to exactly locate and preserve any and all utilities. CALL DIGGERS HOTLINE (800) 242-6511
- The underground locations of the Public Utilities were marked by representatives of those companies. The locations of the privately owned underground utilities were not marked.
- There may be more underground utility installations within the project area that are not shown.
- It shall be the contractors responsibility to arrange for any necessary inspections by local government that may be required.
- Any and all parties utilizing vertical datum shall always check into at least two (2) benchmarks to avoid mistakes due to hydrant adjustments or transpositional errors. Failure to do so will be considered tantamount to gross negligence and subject the offending party to any damages resulting therefrom.
- There may be discrepancies between the building exterior as located on the survey and what was provided by the architect. Verify dimensions prior to construction.

**SITE NOTES**

- 1 SEE DETAIL (A) FOR CONCRETE PAVEMENT SECTION
- 2 SEE DETAIL (B) FOR CONCRETE PAVING AND JOINTING
- 3 SEE DETAIL (C) FOR TREE PLANTING

**LANDSCAPE NOTES:**

1. VERIFY UTILITY LOCATION BEFORE BEGINNING ANY WORK.
2. ALL TREES IN LAWN AREAS SHALL BE MULCHED WITH 4" SHREDDED HARDWOOD BARK MULCH RING.
3. NEW AND DISTURBED LAWN AREAS SHALL BE RESTORED WITH SEED AND MULCH. REFER TO PLAN.
4. MODIFICATIONS TO PLANT SPACING MAY BE ADJUSTED IN THE FIELD BY LANDSCAPE CONTRACTOR. LANDSCAPE ARCHITECT SHALL BE NOTIFIED OF ANY PROPOSED CHANGES TO PLANT MATERIALS OR DESIGN.
5. LANDSCAPE CONTRACTOR SHALL VISIT SITE, INSPECT EXISTING CONDITIONS AND REVIEW PROPOSED PLANTING AND RELATED WORK.
6. THE LANDSCAPE ARCHITECT'S ESTIMATED QUANTITIES ARE SHOWN IN THE MATERIAL LIST-SCHEDULE FOR THE CONVENIENCE OF THE CONTRACTOR ONLY. CONTRACTOR SHALL VERIFY QUANTITIES SHOWN ON THE PLAN AND SHALL RELY ON THE SCHEDULED QUANTITIES AT THEIR OWN RISK. THE CONTRACTOR SHALL INCLUDE IN THE BID ALL PLANTINGS SHOWN ON THE DRAWINGS, WHETHER INCLUDED IN THE SCHEDULE OR NOT

**PLANT MATERIAL LIST-SCHEDULE**

KEY	BOTANICAL NAME COMMON NAME	SIZE	QUANTITY
Gt	Gleditsia triacanthos var. inermis 'Harve' Northern Acclaim Honeylocust	2 1/2' cal	2
Jv	Juniperus virginiana 'Canaert' Canaert Eastern Redcedar	5 B&B	5
Qb	Quercus bicolor Swamp White Oak	2 1/2' cal	1
Ta	Tilia americana 'Redmond' Redmond Linden	2 1/2' cal	2
Ua	Ulmus americana 'Princeton' Princeton American Elm	2 1/2' cal	2

REVISIONS	DATE


**PARAGON ASSOCIATES**  
 Environmental Design & Consulting  
 CIVIL ENGINEERING · LANDSCAPE ARCHITECTURE · SURVEYING  
 632 COPELAND AVENUE · LA CROSSE, WI 54603  
 Tel: 608.781.3110 Fax: 608.781.3197 Paragon-Assoc.biz


PREPARED FOR:  
**CITY OF ONALASKA**

**WELLINGTON GREENS PARK**  
 2372 KRAUSE ROAD/N5367 RYLLA STREET  
 ONALASKA, WISCONSIN  
 SITE PLAN


DRAWN C.G.
PROJECT No 23-016
DATE 02/10/2026
SCALE 1"=20'
CAD FILE 23-016 Wellington Greens 04
SHEET

**C100**





**BID ALTERNATE**



**GRADING NOTES**

- CONTOURS SHOWN ARE FOR FINISHED SURFACES, ANY ADJUSTMENT TO SUBGRADE IS THE CONTRACTOR'S RESPONSIBILITY.
- ALL DISTURBED AREAS THAT ARE UNPAVED ARE TO BE LANDSCAPED OR HAVE LAWN ESTABLISHED AS INDICATED ON THE LANDSCAPE PLAN.
- ALL LANDSCAPED OR LAWN AREAS SHALL HAVE A MINIMUM OF 6" OF TOPSOIL.
- SPOT ELEVATIONS SHALL TAKE PRECEDENCE OVER CONTOURS AND SLOPES SHOWN. HOWEVER, THE CONTRACTOR SHALL NOTIFY THE ENGINEER IF SPOT ELEVATIONS DO NOT APPEAR TO AGREE WITH THE CONTOURS AND SLOPES LABELED. SPOT ELEVATIONS AND SPECIFIC PROFILE INFORMATION SHALL BE USED FOR ESTABLISHING THE ELEVATION OF CURBS, DRIVEWAYS, AND OTHER UTILITIES.
- ALL FINISHED GRADING SHALL PROVIDE FOR A SMOOTH TRANSITION TO UNGRADED AREAS.
- ALL PVC STORM SEWER PIPING SHALL BE MINIMUM SDR 35

REVISIONS	DATE


**PARAGON ASSOCIATES**  
 Environmental Design & Consulting  
 CIVIL ENGINEERING · LANDSCAPE ARCHITECTURE · SURVEYING  
 632 COPELAND AVENUE · LA CROSSE, WI 54603  
 Tel: 608.781.3110 Fax: 608.781.3197 Paragon-Assoc.biz


PREPARED FOR:  
**CITY OF ONALASKA**

**WELLINGTON GREENS PARK**  
 2372 KRAUSE ROAD/5367 RYLLA STREET  
 ONALASKA, WISCONSIN  
 GRADING PLAN

DRAWN	C.G.
PROJECT No	23-016
DATE	02/10/2026
SCALE	1"=20'
CAD FILE	23-016 Wellington Greens 04
SHEET	

**C200**





**STORM WATER CONSTRUCTION POLLUTION PREVENTION NOTES**

SITE CLEARING SHALL APPLY TO ALL AREAS INSIDE LIMITS AS SHOWN ON THE PLANS. REMOVE ALL TREES COMPLETELY AS DIRECTED BY THE OWNER. ANY STRIPPED TOPSOIL SHALL BE STOCKPILED INSIDE THE LIMITS OR PLACED IMMEDIATELY ON SLOPES BEING RESTORED.

SEDIMENT CONTROL STRUCTURES BELOW SEEDED AREAS MUST REMAIN IN PLACE UNTIL THE ENTIRE AREA HAS ESTABLISHED A MATURE COVERING OF HEALTHY VEGETATION.

ALL DISTURBED AREAS SCHEDULED FOR PERMANENT COVER SHALL HAVE TOPSOIL APPLIED, AND BE SEEDED AND MULCHED AS SPECIFIED WITHIN 7 DAYS OF FINAL DISTURBANCE.

MAINTENANCE OF ALL INSTALLED EROSION AND SEDIMENT CONTROL DEVICES SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR AND REMOVED WHEN NO LONGER NECESSARY.

MINIMUM MAINTENANCE SHALL CONSIST OF, BUT NOT LIMITED TO:

- INSPECTING ALL EROSION AND SEDIMENT CONTROL DEVICES AFTER EACH RAINFALL.
- FINISHED AREAS THAT HAVE BEEN DAMAGED OR ERODED SHALL BE RESTORED WITHIN THREE DAYS OF THE DAMAGE.
- UNFINISHED AREAS THAT HAVE BEEN DAMAGED OR ERODED SHALL HAVE THE PREVIOUS MEASURE REAPPLIED WITHIN SEVEN DAYS.

- VEHICLE TRACKING CONTROL APRON SHALL BE REMOVED AND REPLACED WHEN VOIDS BECOME FILLED WITH SEDIMENT OR IF SURFACE OPENINGS BECOME PLUGGED SO THAT THE APRON DOES NOT FUNCTION.

- SILT FENCES SHALL BE MAINTAINED IN A FUNCTIONING MANNER. FENCES SHALL NOT BE ALLOWED TO SAG, FALL DOWN, OR BECOME FILLED WITH SILT ON THE BACK SIDE. IF SILT BUILDS UP BEHIND A SILT FENCE, IT SHALL BE REMOVED IMMEDIATELY. UNDER NO CIRCUMSTANCES SHALL SILT DEPOSITS BE ALLOWED TO REACH MORE THAN 1/2 THE HEIGHT OF THE FENCE.

SILT FENCE SHALL BE PLACED DOWN SLOPE OF ALL SOIL STOCK PILES DURING CONSTRUCTION IF LEFT MORE THAN SEVEN DAYS. STOCK PILES SHALL BE SEEDED AND MULCHED IF LEFT FOR MORE THAN 14 DAYS.

ADDITIONAL EROSION CONTROL FACILITIES MAY BE REQUIRED DUE TO UNFORESEEN SITE CIRCUMSTANCES OR SITE OPERATIONS.

SEDIMENT CONTROL STRUCTURES BELOW LAWN AREAS MAY BE REMOVED ONCE LAWN AND FINAL LANDSCAPING IS IN PLACE. SEDIMENT CONTROL STRUCTURES BELOW SEEDED AREAS MUST REMAIN IN PLACE UNTIL THE ENTIRE AREA HAS ESTABLISHED A MATURE COVERING OF HEALTHY VEGETATION. SEDIMENT CONTROL STRUCTURES IN PAVED AREAS SHALL REMAIN IN PLACE UNTIL PAVING IS COMPLETE.

SEDIMENT DEPOSITED IN ROADS OR RIGHT OF WAY DITCHES ADJACENT TO THIS SITE AS A RESULT OF THIS WORK SHALL BE REMOVED. VEGETATION SHALL BE ESTABLISHED WHEN SEDIMENT REMOVAL DESTROYS THE EXISTING VEGETATION. THE ESTABLISHMENT OF VEGETATION SHALL BE IN THE SAME MANNER AS SPECIFIED FOR SEEDING SPECIFIED ELSEWHERE ON THIS PLAN.

**NOTES**

- ① PROVIDE VEHICLE TRACKING CONTROL APRON AT LOCATION WHERE ENTERING AND EXITING THE SITE. SEE DETAIL (D).
- ② SEE DETAIL (E) FOR SILT FENCE INSTALLATION.
- ③ SEE DETAIL (G) FOR INLET PROTECTION (WITHOUT CURB BOX).
- ④ EROSION CONTROL MATTING SHALL BE CURLEX BY AMERICAN EXCELSIOR OR APPROVED EQUAL. INSTALL TO MANUFACTURER'S RECOMMENDATION.
- ⑤ ALL DISTURBED AREAS NOT PROTECTED WITH EROSION CONTROL MATTING SHALL BE SEEDED AND MULCHED.
- ⑥ PROVIDE CONCRETE WASHOUT AREA PER DETAIL (F). UNDER NO CIRCUMSTANCES SHALL CONCRETE WASHOUT BE ALLOWED IN ANY OTHER LOCATION ON THE SITE.

**BID ALTERNATE**

- SEED AND MULCH ALL ADDITIONAL DISTURBED AREAS
- BID ALTERNATE EXTENTS

REVISIONS	DATE


**PARAGON ASSOCIATES**  
 Environmental Design & Consulting  
 CIVIL ENGINEERING · LANDSCAPE ARCHITECTURE · SURVEYING  
 632 COPELAND AVENUE · LA CROSSE, WI 54603  
 Tel: 608.781.3110 Fax: 608.781.3197 Paragon-Assoc.biz


PREPARED FOR:  
**CITY OF ONALASKA**

**WELLINGTON GREENS PARK**  
 2372 KRAUSE ROAD/N5367 RYLLA STREET  
 ONALASKA, WISCONSIN  
 EROSION CONTROL PLAN

DRAWN	C.G.
PROJECT No	23-016
DATE	02/10/2026
SCALE	1"=20'
CAD FILE	23-016 Wellington Greens 04
SHEET	

**C300**





**UTILITY NOTES:**

ALL WATER & SEWER (STORM & SANITARY) CONSTRUCTION SHALL COMPLY WITH THE LATEST EDITION OF "STANDARD SPECIFICATIONS FOR SEWER & WATER IN THE STATE OF WISCONSIN," ALONG WITH THE CITY OF ONALASKA STANDARD SPECIFICATIONS, AS APPROPRIATE.

SUITABLE ON-SITE GRANULAR MATERIAL SHALL BE USED FOR TRENCH BACKFILL TO PROPOSED ELEVATIONS. BACKFILL SHALL BE COMPACTED AS SPECIFIED.

ALL EXISTING INVERTS & LOCATIONS SHALL BE VERIFIED PRIOR TO CONSTRUCTION. ALL DISCREPANCIES FROM INFORMATION SHOWN ON THE PLANS SHALL BE REPORTED TO THE ENGINEER IMMEDIATELY.

CONTRACTOR SHALL IDENTIFY & MARK THE EXACT LOCATIONS OF ALL UNDERGROUND CONNECTIONS TO WATER AND SEWER MAINS, BENDS, CURB BOXES, CLEAN OUTS, ETC. ON THE AS-BUILT PLANS. COPIES OF THESE DOCUMENTS SHALL BE DELIVERED TO THE ENGINEER FOR RECORD.

LOCATION REQUIREMENT: NON-METALLIC SEWER MAINS AND SERVICES MUST BE PROVIDED WITH TRACE WIRE OR OTHER METHODS IN ORDER TO BE LOCATED.

SHOP DRAWINGS FOR UTILITIES ARE REQUIRED.

**UTILITY NOTES**

① SEE DETAIL (H) FOR 12" NDS INLET

REVISIONS	DATE


**PARAGON ASSOCIATES**  
 Environmental Design & Consulting  
 CIVIL ENGINEERING · LANDSCAPE ARCHITECTURE · SURVEYING  
 632 COPELAND AVENUE · LA CROSSE, WI 54603  
 Tel: 608.781.3110 Fax: 608.781.3197 Paragon-Associ.biz


PREPARED FOR:  
**CITY OF ONALASKA**

**WELLINGTON GREENS PARK**  
 2372 KRAUSE ROAD/IN5367 RYLLA STREET  
 ONALASKA, WISCONSIN  
 UTILITY PLAN


DRAWN	C.G.
PROJECT No	23-016
DATE	02/10/2026
SCALE	1"=20'
CAD FILE	23-016 Wellington Greens 04
SHEET	

**C400**







**A CONCRETE PAVEMENT SECTION DETAIL**  
C100 NO SCALE



**B CONCRETE PAVING AND JOINTING**  
C100 NO SCALE




**C TREE PLANTING DETAIL - ALL TREES**  
C100 NO SCALE







**NOTES:**  
1. PLACE FILTER FABRIC (PROPEX 2002 OR EQUAL) UNDER BREAKER ROCK TO PREVENT MUD MIGRATION THROUGH ROCK.  
2. ENTRANCE MUST BE MAINTAINED REGULARLY TO PREVENT SEDIMENTATION ON PUBLIC ROADWAYS. FUGITIVE ROCK WILL BE REMOVED FROM ADJACENT ROADWAYS DAILY OR MORE FREQUENTLY AS NECESSARY.

**D VEHICLE TRACKING CONTROL**  
C300 NO SCALE


**NOTE:**  
-REFER TO:  
-WISCONSIN DEPARTMENT OF NATURAL RESOURCES  
CONSTRUCTION SITE EROSION & SEDIMENT CONTROL  
STANDARD SILT FENCE (1056)  
-INSTALL PER MANUFACTURER  
SPECIFICATIONS



**E TYPICAL SILT FENCE INSTALLATION**  
C300 NO SCALE



**F TEMPORARY CONCRETE WASHOUT FACILITY**  
C300 NO SCALE



**GENERAL NOTES**


INLET PROTECTION DEVICES SHALL BE MAINTAINED OR REPLACED AT THE DIRECTION OF THE ENGINEER.

MANUFACTURED ALTERNATIVES APPROVED AND LISTED ON THE WIS. D.O.T.'S EROSION CONTROL PRODUCT ACCEPTABILITY LIST MAY BE SUBSTITUTED.

WHEN REMOVING OR MAINTAINING INLET PROTECTION, CARE SHALL BE TAKEN SO THAT THE SEDIMENT TRAPPED ON THE GEOTEXTILE FABRIC DOES NOT FALL INTO THE INLET. ANY MATERIAL FALLING INTO THE INLET SHALL BE REMOVED IMMEDIATELY.

1 FINISHED SIZE, INCLUDING FLAP POCKETS WHERE REQUIRED SHALL EXTEND A MINIMUM OF 10\"/>

**G INLET PROTECTION, TYPE B (WITHOUT CURB BOX)**  
C300 NO SCALE



-ALL PART NUMBERS ARE NDS PRODUCT NUMBERS  
NDS  
PO BOX 339, 851 N. HARVARD AVE  
LINDSAY, CA 93247  
(800) 726-1994

**H NDS INLET**  
C400 NO SCALE

REVISIONS	DATE

**PARAGON ASSOCIATES**  
Environmental Design & Consulting  
Civil Engineering, Landscape Architecture, Surveying  
632 COPELAND AVENUE, LA CROSSE, WI 54603  
Tel: 608.781.3110 Fax: 608.781.3197 Paragon-Assoc.biz

PREPARED FOR:  
CITY OF ONALASKA

WELLINGTON GREENS PARK  
2372 KRAUSE ROAD/N5367 RYLLA STREET  
ONALASKA, WISCONSIN  
DETAILS

DRAWN	C.G.
PROJECT No	23-016
DATE	02/10/2026
SCALE	VARIABLES
CAD FILE	23-016 Wellington Greens 04
SHEET	

**C500**